



Notification template for Article 131 of the Capital Requirements Directive (CRD) – Other Systemically Important Institutions (O-SIIs)

Template for notifying the European Central Bank (ECB) and the European Systemic Risk Board (ESRB) of the setting or resetting of an O-SII buffer under Article 131(7) CRD and of the identity of O-SIIs under Article 131(12) CRD

Please send/upload this template to:

- macropru.notifications@ecb.europa.eu when notifying the ECB (under Article 5 of the Single Supervisory Mechanism (SSM) Regulation¹);
- <u>DARWIN/ASTRA</u> when notifying the ESRB.

The ESRB will forward this notification to the European Commission, to the European Banking Authority (EBA) and to the competent and designated authorities of the Member States concerned without delay and will publicly disclose the names of the O-SIIs on its website. This notification will be made public by the ESRB once the relevant authorities have adopted and published the notified macroprudential measure².

E-mailing/uploading this template to the above addresses constitutes official notification; no further official letter is required. To facilitate the work of the notified authorities, please send the notification template in a format that allows the information to be read electronically.

1. Notifying national authority					
1.1 Name of the notifying authority	Bank of Lithuania (BoL)				
1.2 Country of the notifying authority	Republic of Lithuania				
2. Description of the measure					
	Name of institution	LEI	Consolidation level		
2.1a Institution or group of institutions concerned	AB SEB bankas	549300SBPFE9JX7N 8J82	sub-consolidated level		
	"Swedbank", AB	549300GH3DFCXVN BHE59	sub-consolidated level		
	AB Šiaulių bankas	549300TK038P6EV4 YU51	highest level of consolidation		
	Revolut Bank UAB	485100NUOK3CEDC UTW40	individual		

¹ Council Regulation (EU) No 1024/2013 of 15 October 2013 conferring specific tasks on the European Central Bank concerning policies relating to the prudential supervision of credit institutions (OJ L 287, 29.10.2013, p. 63).

² On request by the notifying authority, it may be agreed with the Head of the ESRB Secretariat that this notification, or a part thereof, should not be published for reasons of confidentiality or financial stability.

	-				
2.1b Changes to the list of institutions concerned	-				
	Name of institution	New O-SII buffer	Previous O-SII buffer		
	AB SEB bankas	2 %	2 %		
2.2 Level of the buffer applied	"Swedbank", AB	2 %	2 %		
арриеч	AB Šiaulių bankas	1 %	1 %		
	Revolut Bank UAB	2 %	1 %		
	Name of identified O-SII	Ultimate EU parent institution	LEI of ultimate parent		
	The state of the s	- paront monatori	institution		
	AB SEB bankas	Skandinaviska Enskilda Banken AB	F3JS33DEI6XQ4ZBP TN86		
2.3 Name of the ultimate EU parent institution	Swedbank", AB	Swedbank AB	M312WZV08Y7LYUC 71685		
parone monaton	Revolut Bank UAB	Revolut Holdings Europe UAB	485100FX5Y9YLAQL NP12		
	NI/A				
	N/A	Name of O SII authoridians	LEL of O CH pubeldions		
	Name of parent O-SII identified	Name of O-SII subsidiary	LEI of O-SII subsidiary		
2.4 Names of subsidiaries					
3. Timing for the measure					
3.1 Timing for the decision	20/12/2023				
3.2 Timing for publication	29/12/2023				
3.3 Disclosure	The decision will be published on the BoL's website and the official national legal acts register.				
3.4 Timing for application	O-SII buffers for AB SEB bankas, "Swedbank", AB and AB Šiaulių bankas are already in force, which is why there will be no reason to set a particular timing of application.				
	It is planned that O-SII buffer of 2% for Revolut Bank UAB will be applicable as of 1 July 2024.				

	The buffer requiremen						
	bankas have been fully phased in. Revolut Bank UAB is currently subject to O-SII buffer requirement of 1%, with 2% buffer planned to be in force from 1 July 2024.						
	Name of institution	1	Date1	Date2	Date	Date4	Date5
3.5 Phasing in		0	1/07/20 24				
	Revolut Bank UAB		2 %	%	%	%	%
3.6 Review of the measure	The list of the identified O-SIIs and the O-SII buffer rates are reviewed at least annually as provided in Point 44.2 of the Rules for the Formation of Capital Buffers approved by the Resolution No 03-51 of the Board of the BoL of 9 April 2015.					pital	
4. Reason for O-SII iden	tification and activation	of the O	-SII buff	er			
	Name of institution	Size		stitut- oility	Com- plexity	Intercon- nectedness	Overall Score
	AB SEB bankas	2,248	1,	864	2,619	2,740	2,368
	Swedbank", AB	3,067 3,		150	1,578	2,010	2,451
	AB Šiaulių bankas	729 1,		219	227	3,313	1,372
	Revolut Bank UAB	1,627		11	4,042	659	1,760
4.1 Scores of institutions or group of institutions	AB SEB bankas	2,248	1,	864	2,619	4,111	2,710
concerned, as per EBA guidelines on the	Swedbank", AB	3,067	3,	150	1,578	3,015	2,702
assessment of O-SIIs (Article 131.3 CRD)	AB Šiaulių bankas	729	1,	219	227	293	617
	Revolut Bank UAB	1,627	7	11	4,042	989	1,842
	BoL uses a slightly adjusted method to calculate O-SII scores to inform our decision regarding the capital buffer ratios. More detailed information is provided in Section 4.2. The scores, as calculated strictly in accordance with the EBA Guidelines, are provided above in regular font, while those estimated according to the adjusted methodology are indicated in bold font Please provide information on:						
	a. whether you followed the EBA guidelines on the assessment of O-SIIs;						
4.2 Methodology and indicators used for designation of the O-SII (Article 131.3)	For the most part, we did follow the EBA guidelines on the assessment of O-SIIs. Our adjusted methodology differed only in the sense that the indicator of the outstanding debt securities was excluded. The rationale for such an adjustment is based on the fact that debt securities outstanding are of negligible size, thus taking this indicator into account distorts the overall results to a great degree. By eliminating the indicator of debt securities outstanding, we allocate greater weights to the two remaining indicators in the category of interconnectedness, i.e. intrafinancial system liabilities and intra-financial system assets each receive weights of 12.5%. Accordingly, adjusted O-SII scores that we use for informing our decision regarding the capital buffer ratio are as				e that the e rationale es o account e indicator the two e. intra-ach receive		

	Šiaulių bankas – 617, Revolut Bank UAB – 1,842. More detailed		
	information on adjusted scores is annexed to this form.		
	b. which threshold score has been set to identify O-SIIs;		
	350		
	 whether relevant entities with relative total assets not in excess of 0.02% have been excluded from the identification process; 		
	No institutions were excluded from the computations in the identification process with a view to obtaining an accurate total sum of respective indicators.		
	 the names and scores of all relevant entities not excluded from the identification process (could be sent in a separate Excel file, see 4.1); 		
	The Excel file is attached to the present Notification form.		
	e. whether non-bank institutions have been included in the calculations.		
	Yes, institutions such as credit unions, central credit unions and central		
	credit union groups were included in the calculations.		
	Have any of the institutions listed in 2.1 been identified by applying supervisory		
	judgement as laid down in EBA guidelines on the assessment of O-SIIs?		
4.3 Supervisory judgement	No.		
4.0 Supervisory juagement			
	Designation of O-SIIs in Lithuania was carried out in line with EBA Guidelines EBA/GL/2014/10, excluding only the indicator of debt securities outstanding (see Section 4.2 a.).		
	The BoL did not use any optional indicators based on the fact that participants of		
	the Lithuania's financial system are rather homogeneous in terms of financial services and their importance for the financial system is, for the most part, fully		
	characterised by the mandatory indicators. The BoL has decided to maintain the 350-basis points threshold as a limit of systemic importance defined by the Guidelines.		
4.4 Calibrating the O-SII buffer	As the Guidelines do not specify any buffer calibration methods, the calibration was based on 2 approaches: "expected impact" and "expected losses" (detailed below). The quarterly returns on risk weighted assets (RoRWA) of banks operating in Lithuania were used for both methods. However, the data is available only from 2002, and the sample is contaminated by large negative returns during only one crisis episode (in 2009–2010). Institution-specific O-SII capital buffers were calculated as an average of the results from both approaches.		
	1. The goal of the "expected impact" approach is to determine particular O-SII capital buffers so that the expected impact of failure of systemically important banks (SIBs) would equal that of a reference non-SIB (a reference non-SIB is defined as an institution with the systemic importance score of 350 basis points).		
	defined as an institution with the systemic importance score of 350 basis points).		

Since SIBs have higher economic costs of failure than non-SIBs, the probability of default (PD) of SIBs must be lower than the PD of the reference non-SIB in order to achieve an equal expected impact of failure. Additional O-SII capital buffers for SIBs lower their PDs and thus limit their economic costs of failure.

The defined O-SII score of each SIB was used as the relative measure of the economic costs of failure, while the threshold of 350 basis points was used as the relative measure of the economic costs of failure of the reference non-SIB. The PD of a reference non-SIB was determined using the empirical distribution of the RoRWA of banks operating in Lithuania.

2. The "expected losses" calibration is based on determining the required loss absorbing capacity of SIBs. It was assumed that a larger than 2.5% loss of the capital adequacy ratio would render a SIB insolvent. The 2.5% capital adequacy threshold for losses was chosen to proxy the capital conservation buffer. The amount of additional capital buffer needed for each SIB is determined by its systemic importance score with the intention to increase its ability to withstand a loss that equals the historical average of Lithuanian bank losses in excess of 2.5% of the capital adequacy ratio.

The amount of additional capital needed was calculated proportionally to the SIB score in excess of 350 basis points using the average of historical losses exceeding 2.5% of the capital adequacy ratio and the probability of such event.

4.5 Effectiveness and proportionality of measure

Lithuania's banking system is highly concentrated. In terms of assets, in Q2 2023 the market share of the 3 largest banks comprised around 70% of the total assets of Lithuania's banking system. The failure of a systemically important institution could have a severe negative impact on the stability of the Lithuanian financial sector and on the real economy. A higher capital requirement for systemically important institutions improves the overall banking sector resilience against negative shocks and helps limiting the possibility of misaligned incentives of systemically important financial institutions.

Lending activities of AB SEB bankas, "Swedbank", AB, AB Šiaulių bankas should not be affected by this intended O-SII decision because the buffers remain unchanged compared to the previous notification period.

Conversely, since Revolut Bank UAB is having its buffer increased from 1% to 2%, a phase-in period (see section 3.5) is being set. Capital adequacy for Revolut Bank UAB in Q2 2023 was 20.3% and significantly exceeded the existing capital requirements. Although its O-SII score is relatively lower than "Swedbank", AB or AB SEB bankas, given its past and projected growth rate, 2% buffer is deemed proportional.

5. Sufficiency, consistency and non-overlap of the policy response

5.1 Sufficiency of the policy response

Lithuanian banking sector is primarily oriented to financial services provided locally and is highly concentrated.

In case of AB Šiaulių bankas, the measure is deemed sufficient by the BoL, taking into account its relatively more moderate size and importance in various financial services. For AB SEB bankas and "Swedbank", AB, the measure is presently deemed sufficient within the current legal framework: the maximum O-SII buffer rate allowed by the provision of Art. 131.8(a) of CRD is set (it is worth noting that our buffer calibration method (see Section 4.4) suggests somewhat higher O-SII capital buffers). The two banks currently account for 22% and 31% of Lithuanian banking sector in terms of their assets respectively. In case of any of them facing with financial difficulties it could cause significant negative consequences for the entire financial sector, as well as for the real economy.

5.2 Consistency of application of the policy response	In case of Revolut Bank UAB, the measures are deemed sufficient by the BoL, taking into account its growth in 2022 and 2023. After the change in the related group's structure, Revolut Bank UAB became the third biggest bank in Lithuania in terms of total assets (18%). Bank's O-SII score increased substantially in Q2 2023, indicating that 2% buffer rate would be warranted. The measure is consistent with the aim of limiting the potential negative impact systemically important banks could have in terms of the higher risk they pose. In application of the measure the BoL adheres to the common principles set out in Article 131 of CRD and EBA Guidelines EBA/GL/2014/10.			
5.3 Non-overlap of the policy response	There are no other policy instruments used to address the same endogenous risk stemming from the systemic importance of particular institutions. A sectoral Systemic Risk Buffer (SyRB) (see Section 7.2), effective from 1 July 2022, is aimed at increasing the resilience of the financial sector to residential real estate sector risks in the light of continued rapid growth of housing loan portfolio, potential overvaluation of housing prices and their accelerated growth, as well as the increased share of mortgage loans in banks' loan portfolios.			
6. Cross-border and cros	ss-sector impact of the measure			
6.1 Assessment of cross- border effects and the likely impact on the Internal Market (Recommendation ESRB/2015/2³)	Cross-border effects and the impact on the internal market are expected to be non-material as the cross-border activities of AB SEB bankas, "Swedbank", AB, AB Šiaulių bankas within the EU are limited and the business model of Revolut Bank UAB is primarily focused on payment services.			
6.2 Assessment of leakages and regulatory arbitrage within the notifying Member State	No leakages or regulatory arbitrage is expected.			
7. Combinations and into	eractions with other measures			
	N/A			
7.1 Combinations between G- SII and O-SII buffers	Name of institution	O-SII buffer	G-SII buffer	
		%	%	
(Article 131.14)		%	%	
	a M/hat is/ara the aretains	%	%	
7.2 Combinations with systemic risk buffers (SyRBs) (Article 131.15 CRD)	 a. What is/are the systemic risk buffer rates(s)? A sectoral SyRB rate of 2 % to retail (natural persons) exposures in Lithuania which are secured by residential property is effective from 1 July 2022. All banks and central credit union groups are subject to the 			
(sectoral SyRB if their exposure to the relevant sector is above a set materiality threshold.			

 $^{^3}$ Recommendation of the European Systemic Risk Board of 15 December 2015 on the assessment of cross-border effects of and voluntary reciprocity for macroprudential policy measures (ESRB/2015/3) (OJ C 97, 12.3.2016, p. 9).

	 b. At what level is/are the systemic risk buffer rate(s) applied (i.e. consolidation level and/or individual)? The buffer rate is applied at the national consolidation level. c. Is the sum of the systemic risk buffer rate(s) and the O-SII buffer rate (or the higher of the G-SII and O-SII buffer rates, if a group is subject to a G-SII buffer and to an O-SII buffer at consolidated level) to which the same institution is subject over 5%? No. 					
	Name of institution	SyRB rate	SyRB application level	Sum of G-SII/O- SII and SyRB rates		
	AB SEB bankas	2 %	Sub- consolidate d	4 %		
	"Swedbank", AB	2 %	Sub- consolidate d	4 %		
	AB Šiaulių bankas	2 %	Highest level of consolidati on	3 %		
		%		%		
		%		%		
		%		%		
		%		%		
		%		%		
	Our buffer calibration method suggests slightly higher O-SII capital buffers for AB SEB bankas and "Swedbank", AB than is allowed by Art. 131.8(a) of CRD.					
7.3 O-SII requirement for a subsidiary (Article 131.8	Name of O-SII subsidiary	Name of the EU parent of the O-SII subsidiary		Buffer applicable to O- SII EU parent		
CRD)	AB SEB bankas	Skandinaviska Enskilda Banken AB		1 %		
	"Swedbank", AB	Swedbank AB		1 %		
				%		
8. Miscellaneous						
8.1 Contact person(s)/mailbox at	Nijolė Valinskytė, Head of the Macroprudential Policy Division, +370 650 40605 (nvalinskyte@lb.lt)					
notifying authority	Rokas Norvilas, Senior Economist - Macroprudential Policy Division, +370 653 08 066 (rnorvilas@lb.lt)					
8.2 Any other relevant information	This notification is a correction of a previously (6 November 2023) submitted notification and should be considered as the correct and valid notification of 2023 O-SII review in Lithuania while the previous one should be disregarded. The changes from the previous notification consist of: • Revolut Holdings Europe UAB is no longer considered an O-SII; • O-SII buffer for Revolut Bank UAB is assigned on an individual basis instead of sub-consolidated.					
	instead of sub-consolid	dated.				

	Reason for the changes:
	Provisions of CRD regarding O-SII identification and capital buffer assignment are transposed into the Lithuanian national law essentially verbatim. Specifically, the wording "on a consolidated, sub-consolidated or individual basis" is used with regard to available options for buffer calibration. In legal terms, this means that only one , most appropriate, of the options must be chosen for each O-SII. In choosing the most optimal option Revolut group's specifics were taken into account, as well as the National Resolution Authority was consulted regarding best sinergies with Revolut group's resolution strategy (under review) and MREL calibration. In our assessment, the best option in the situation where O-SII buffer can be set only on one level in the group, is setting O-SII buffer at Revolut bank's level, i.e. for the bank individually.
8.3 Date of the notification	29/11/2023